



TYPHOON 3000

60m x 28m Jack Up Barge / Semi-Submersible Dry Dock

Deck Load

3,000t

INTRODUCING THE TYPHOON 3000

The Typhoon 3000 is a 'conventional' jack-up barge and semi-submersible dry dock that can submerge without the use of pumps and / or ballast systems. The valves in the top and bottom of the pontoon are opened, and the submerging can begin.

The barge is currently available for charter in the UK and Northern Europe.

The modern jack-up is ideally suited to heavy marine civils, the transportation of heavy structures and was specifically developed with defence requirements in mind.

The Typhoon 3000 has been built to the highest standard and is extremely versatile, comprised of a monohull pontoon 4 jacking systems and 4 spud legs.





OUR FLEET

Monohull Jack Up Barges

- Modular Jack Up Barges
- Modular Stabilised Barge
- Multi-Purpose Flat top Barges
- Modular Pontoons
- Work Boats



TYPHOON 3000

General

Type	Jack-Up Barge / Semi-Submersible Dry Dock
Classification	LRoS OU 100AN, Self-Elevating Unit; Unmanned Towage, Restricted Service Area 20 NM Offshore, OMC.

Main Dimensions

Length	60m
Beam	28m
Depth	4m
Deck Area	1680m ²
Max Leg length	52m
Leg Diameter	2m

Jacking System

Jacking Speed	Platform up: 7.3m/hr Platform down: 8.5m/hr Legs down: 20.4m/hr
Jacking Capacity	4x 1444T = 5776T

Operation Conditions

Max Deck Load	3,000t
---------------	--------

Standard Equipment

Hydraulic Power Packs, Navigation Shapes and Lights, Bollards, Handrails, Welfare Facilities.

Optional Equipment

Hydraulic Winches, Safety Boat, Knuckle Boom Crane, Access Walkways, Cantilever Platforms.



DOWNLOAD FULL SET OF TECHNICAL SHEETS

www.red7marine.co.uk



enquiries@r7m.co.uk



01255 886710